

SECTION VI-TOXICOLOGICAL PROPERTIES OF PRODUCT

Route of Entry: All routes	--SKIN CONTACT --SKIN ABSORPTION --EYE CONTACT --INHALATION --INGESTION		
Effects of Acute Exposure:	Nausea, dizziness, paleness, weakness, eye and skin irritation. Over exposure of methylene chloride may lead to central nervous system depression and cardiac sensitization.		
Effects of Chronic Exposure:	Solvent may cause defatting dermatitis. Methylene chloride over exposure may have central nervous system effect. N-Hexane excessive exposure can result in peripheral neuropathies.		
LD 50 of Product:	N/Av.	LC 50 of Product:	N/E
Irritancy of Product:	Eye & skin irritant	Exposure Limits of Product:	See section II
Sensitization of Product:	N/Av.	Toxicologically Synergistic Materials:	N/Av.

--CARCINOGENICITY --REPRODUCTIVE EFFECTS --TERATOGENICITY --MUTAGENICITY

Methylene chloride has been listed as potential carcinogenic by IARC.

SECTION VII-PREVENTIVE MEASURES

Personal Protective Equipment to be used:

Gloves(specify):	Chemical resistant gloves	Eye(specify):	Safety glasses
Respiratory(specify):	NIOSH approved organic vapor mask	Clothing:	Not required
Respiratory Protection:	If used indoors or on a continuous basis, use of NIOSH approved cartridge type respirator is recommended		

Engineering Controls: Local or mechanical ventilation required.

Leak and Spill Procedure: Remove all sources of ignition. Use inert absorbent with non-sparking tools. Avoid inhalation.
Ventilate area. Prevent from entering sewer / water systems.

Waste Disposal: Dispose of in accordance with local, federal, and provincial regulations.
Aerosol cans may be disposed of at local recycling depot

Storage Requirements: Store in cool, well ventilated area where temperature not to exceed 50°C.

Handling Procedures and Equipment: Do not puncture or incinerate container. Handle with care. Keep away from children.

DSL listing: All components are listed in the inventory.

NFPA30B/CNFC 3.3.5: Level 2

TDG Classification: Consumer Commodity

WHMIS Classification: Consumer Commodity Complies with CCCR 2001

SECTION VIII-FIRST AID MEASURES

Eye: Flush thoroughly with clear water for at least 15 minutes. Consult a physician immediately.

Skin: Remove contaminated clothing. Wash with soap and water. Consult doctor if irritation, rashes persist.

Inhalation: Move patient to fresh air and restore breathing if required seek medical help if discomfort persist.

Ingestion: DO NOT INDUCE VOMITING. Call a physician immediately.

SECTION IX-PREPARATION DATE OF M.S.D.S.

Additional Info/Comments:		Sources Used: Supplier's data
Phone Number:	(905) 793-4311	Prepared By: Quality Control Laboratory
Date Prepared:	January 2, 2012.	Kleen-Flo Tumbler Industries Limited

THIS SHEET SUPERSEDES ANY OTHER M.S.D.S. PREVIOUSLY PREPARED

N/Av.: not available N/Av.: not applicable N/E: not established